


DELTA[®] SINGLE HANDLE BALL FAUCETS

**EFFORTLESS
ONE
HAND
OPERATION**

•
**POSITIVE
WATER
TEMPERATURE
AND
VOLUME
CONTROL**



Shown here is a cut-away of the heart of the Delta Faucet. Note the expert simplicity in design excellence. Having only ONE moving part (the ball) it is really understandable WHY the DELTA faucet is considered the finest . . .

DELTA

... For those who install the very Finest!


TUB AND SHOWER MODELS

DEL-DIAL SERIES



MODEL 601

Valve only, for tub, shower or combination. Available with screw driver stops when specified.



MODEL 621

Valve and shower head assembly. Available with screw driver stops when specified.



MODEL 611

Valve and tub spout. Available with screw driver stops when specified.




MODEL 631

Combination tub and shower assembly. Available with screw driver stops when specified.



MODEL 602

Valve only, for tub, shower or combination. Available with screw driver stops when specified.



MODEL 622

Valve and shower head assembly. Available with screw driver stops when specified.



MODEL 612

Valve and tub spout. Available with screw driver stops when specified.




MODEL 632

Combination tub and shower assembly. Available with screw driver stops when specified.

SPECIFICATIONS


DECK MODELS

SERIES 100, 300 AND 400




LAVATORY MODELS

SERIES 500



SERIES 502



Base on both 500 and 502 is 2" by 6"

NOTE: Complete Specification Sheets are available for each faucet in the Delta line.

DELTA

FAUCET COMPANY
Division of MASCO Corporation

GREENSBURG, INDIANA 47240




DF 12-7164
PRINTED IN U.S.A.

DELTA[®]

**SINGLE
HANDLE
BALL
FAUCETS**



**ONLY
ONE
MOVING PART**




Shown here is a cut-away of the heart of the Delta Faucet. Note the expert simplicity in design excellence. Having only ONE moving part (the ball) it is really understandable WHY the DELTA faucet is considered the finest . . .

For those who install the very finest . . .


DECK MODELS

ALL MODELS BELOW ARE AVAILABLE WITH
4", 6" AND 10" SPOUTS WHEN SPECIFIED



MODEL 100

For standard 3 hole sinks.
(8" swing spout)




MODEL 300

For 3 hole sinks with spray
attachment. (8" swing spout)



MODEL 350

For 3 hole sinks with dishwashing
attachment. (8" swing spout)



MODEL 400

For 4 hole sinks with spray attachment.
(8" swing spout)



MODEL 450

For 4 hole sinks with dishwashing
attachment. (8" swing spout)




MODEL 101

Standard for single hole mounting.
(8" swing spout)



MODEL 150

With dishwashing attachment through
2 mounting holes. (8" swing spout)



MODEL 175

With spray attachment through 2
mounting holes. (8" swing spout)

DISPENSER MODELS

ALL MODELS BELOW ARE AVAILABLE WITH
4", 6" AND 10" SPOUTS WHEN SPECIFIED



MODEL 100D

For standard 3 hole sinks with dispenser
for hand lotion or soap.
(8" swing spout)



MODEL 100 DX

For standard 3 hole sinks with
double dispenser for hand lotion
AND soap. (8" swing spout)



MODEL 300D

For 3 hole sinks with spray attachment
and dispenser for hand lotion or
soap. (8" swing spout)



**MODEL
350 D**

For 3 hole sinks with dishwashing
attachment and dispenser for hand
lotion or soap. (8" swing spout)




MODEL 400D

For 4 hole sinks with spray attachment
and dispenser for hand lotion
or soap. (8" swing spout)




MODEL 400 DX

For 4 hole sinks with spray attachment
and dispenser for hand lotion
AND soap. (8" swing spout)



MODEL 450D

For 4 hole sinks with dishwashing
attachment and dispenser for hand
lotion or soap. (8" swing spout)




MODEL 450 DX

For 4 hole sinks with dishwashing
attachment and double dispenser for hand
lotion AND soap. (8" swing spout)

WALL MODELS

AND DISPENSER



MODEL 200

For standard wall mount.
(8" swing spout)



MODEL 250

For wall mount with dishwashing
attachment. (8" swing spout)



MODEL 275

For wall mount with spray attachment.
(8" swing spout)



MODEL 1000

For universal application on all
standard size sinks or counter
top installations.

HOSPITAL SERIES

WITH ELBOW HANDLE

NOTE: THE NEW "ELBOW HANDLE" IS AVAILABLE FOR ALL DELTA FAUCET MODELS . . . WHEN ORDERING BE SURE TO USE REGULAR MODEL NUMBER AND SPECIFY — "W/ELBOW HANDLE."



MODEL 710

Valve with Gooseneck Spout
and Aerator

Delta Hospital Series Faucets (W/ELBOW HANDLE) are excellent when used for clinics, hospitals - laboratories, etc.

LAVATORY MODELS

ALL 570 AND 575 SERIES ARE AVAILABLE
WITH 6", 8" AND 10" SPOUTS WHEN SPECIFIED




MODEL 500

4" center set.

MODEL 510

4" center set with chain and stopper.



MODEL 520

4" center set with pop-up drain assembly complete.


MODEL 530

4" center set with pop-up rod only.



MODEL 570

Single mount faucet only.
(4" swing spout)




MODEL 570-P

Single mount faucet with pop-up assy.
(4" swing spout)




MODEL 570-D

Single mount faucet with dispenser.
(4" swing spout)




MODEL 570-PD

Single mount faucet with pop-up
and dispenser. (4" swing spout)



MODEL 575

Single mount faucet with Shampoo
spray. (4" swing spout)




MODEL 575-P

Single mount faucet with shampoo spray
and pop-up assy. (4" swing spout)

TUB & SHOWER MODELS

SPECIFICATIONS




MODEL 601

Valve only, for tub, shower or combination. Available with screw driver stops when specified.




MODEL 611

Valve and tub spout. Available with screw driver stops when specified.



MODEL 621


Valve and shower head assembly. Available with screw driver stops when specified.



MODEL 631


Combination tub and shower assembly. Available with screw driver stops when specified.

DECK MODELS—SERIES 100, 300 AND 400



NOTE: AREA OF FAUCET BASE, 2" x 10"

LAVATORY MODELS SERIES 500



NOTE... Complete Specification Sheets are available for each faucet in the Delta line.

DELTA FAUCET CORPORATION
GREENSBURG, INDIANA

DELTA FAUCET OF CANADA LTD. • 2489 BLOOR STREET WEST, TORONTO 9, ONTARIO

DELTA®


SINGLE HANDLE BALL FAUCETS

REPLACEMENT OR REFUND OF MONEY
Guaranteed by
Good Housekeeping
IF NOT AS ADVERTISED THEREIN




PARTS LIST

PART NO. DESCRIPTION LIST PRICE




PARTS USED ON ALL MODELS

50 A	Cap Assembly	\$2.25 Assy.
59	Delta "Handy-Rench"	.35 ea.
61 A	Cam Assembly	.50 Assy.
90 A	Handle W/Set Screw	2.20 ea.
91 A	Elbow Handle (Not Shown)	8.20 ea.
134 A	Seat Assembly (2)	.30 Assy.
210	Set Screw	.20 ea.
250	Adjusting Ring	.50 ea.
Repair Kit #1	(2) 25 "O" Rings (1) #61A Cam, (1 Set) #134A Seat Assembly, (1) #94 Wrench	1.35 ea.




Repair Kit #1




PARTS USED ON ALL EXCEPT TUB AND SHOWER MODELS


11	1/2" I.P.S. Coupling Nut	\$.14 ea.
25	"O" Ring Body Seals (2)	.25 set
70 A	Ball (#71A Tub and Shower)	1.50 ea.
88 A	Rose Spray, replaces Aerator	3.00 ea.
165	3/8" Sweat x 1/2" I.P.S. Adapter	.30 ea.
245	Swivel Jet Aerator	1.85 ea.
246	Vandal Proof Aerator (Not Shown)	2.15 ea.
320	Diverter — Spray Models	.75 ea.
330	Aerator	1.15 ea.
457	Spout Adapter for Gard. Hose	1.00 ea.
461	Male Spout Adapter for Dishwashers, etc.	1.00 ea.







PARTS USED ON KITCHEN AND SINGLE HOLE MOUNT MODELS ONLY		
371	Spray Support Assembly	\$1.00 Assy.
10-4	4" Spout, Less Aerator	6.80 ea.
10-6	6" Spout, Less Aerator	6.90 ea.
10-8	8" Spout, Less Aerator	7.00 ea.
10-10	10" Spout, Less Aerator	7.10 ea.




PARTS USED ON 4" CENTER SETS AND POP-UP WASTE ASSEMBLIES		
23	Threaded Stem	\$.60 ea.
24	Flange	.90 ea.
24 A	Pop-Up Guide Assy. (#23-24-27-28)	1.75 Assy.
27	Washer	.15 ea.
28	Nut	.10 ea.
44	Pop-Up Plug	1.55 ea.
45	Pop-Up Body	3.85 ea.
46	Tail Piece	1.15 ea.
47	7 1/4" Pop-Up Lever (Horizontal)	.65 ea.
47XL	10 1/4" For 570P, 575P, & 1100 Pop-Up Assembly (Also when specified for 2007 A)	.65 ea.
47XXL	13 1/4" when specified	.65 ea.
48	Flanged Nut	.40 ea.
49	Fiber Washer	.10 ea.
51	Rubber Washer	.15 ea.
454	Lift Rod Assembly (Vert.)	2.00 Assy.
459	Spring Clip	.15 ea.
1100	Same as 2007 A with 24 A Guide Assembly Included	7.50 Assy.
2001	Base Insert Clip	.50 ea.
2006	Chain & Stopper Assembly	1.10 Assy.
2007A	Pop-Up Assembly Complete	6.00 Assy.




PARTS USED ON WALL MODELS ONLY		
1000	8" Spout — Less Aerator	\$7.00 ea.
1001	Cover (Chrome Brass)	3.00 ea.
1003 A	Cover Insert Assembly	1.10 Assy.
1006	Connector	1.20 ea.
1007	Spray and Dishwasher Support	1.20 ea.





PARTS USED ON SHOWER AND TUB MODELS ONLY		
66	Cover Screw	\$.20 ea.
67	Cover	1.55 ea.
71 A	Ball	1.50 ea.
472	Diverter Spout	7.75 ea.
473	Tub Filler Spout	2.50 ea.
476	Shower Head	2.50 ea.
477	Shower Arm — 6" Long	2.00 ea.
478	Shower Arm Flange	.75 ea.





PARTS FOR SPRAYS AND DISHWASHING HANDLES		
58	Shampoo Spray and Hose Assembly	\$4.50 Assy.
MR-4	4' Hose — Deck Models	1.67 ea.
MR-30	30" Hose — Wall Models	1.30 ea.
MR-422	Spray Head	1.90 ea.
MR-422-4	Spray Head and 48" Hose	3.50 Assy.
MR-510	Dishwasher Unit	8.15 ea.
MR-510 D-1	Brush for Dishwasher	.85 ea.
MR-510 D-10	Detergent Valve Trigger	.80 ea.
MR-510 D-16	Ferrule Packing	.05 ea.
MR-510 D-17	Hose Ferrule—Dishwasher	.25 ea.



PARTS FOR DISPENSER		
485	Inlet Adapter	\$1.15 ea.
489 A	Head Assembly	2.00 ea.
490	Bottle	.75 ea.
491	Pump Assembly	.50 ea.
493	Support	2.50 ea.

DELTA

FAUCET CORPORATION
GREENSBURG, INDIANA

DELTA FAUCET OF CANADA LTD. • 2489 BLOOR STREET, TORONTO 9, CANADA



PRINTED IN U.S.A.

DELTA[®] SINGLE HANDLE BALL FAUCET

MAINTENANCE & INSTALLATION INSTRUCTIONS

MAINTENANCE INSTRUCTIONS

SHUT OFF WATER SUPPLY!

1. If faucet leaks from under handle, disassemble through step (1), Make adjustment as shown in step (2).
2. If faucet drips at spout outlet, disassemble through step (4) and replace both rubber seats and springs. Check ball and replace if sharp edge or roughness is found around either of two small holes. Make adjustment shown in step (2).
3. If faucet leaks from either the bottom or the top of the spout, disassemble through step (5) and replace two body "O" rings.
4. If volume of water from any spray model decreases or if spray

ceases to function, disassemble through step (6) and flush out the diverter assembly and the cavity in the body so that when again assembled, the diverter moves freely. All Delta Faucets are designed to tolerate normal scale, grit, etc. found in water lines but particles of abnormal size can cause the diverter assembly to cease operating.

REMOVE AERATOR FROM END OF SPOUT AND NOZZLE FROM SPRAY AND WASH OUT SEDIMENT.

STEP 1.

TURN
TO
LEFT




Loosen set screw and pull off handle

STEP 2.

NOTE: Tighten threaded ring in top of cap until handle is hard to move and then loosen only enough to allow easy operation.

BRASS
ADJUSTING
RING



To disassemble unscrew and remove cap assembly

STEP 3.

PULL
UP




Pull up on ball stem to remove cam and ball assembly

STEP 4.

LIFT
OUT

PIN

SLOT




NOTE: If leak is from spout outlet replace rubber seats and springs. Check ball and replace if sharp edge or roughness is found around either of two small holes. Make adjustment shown in step (2) above.

Lift rubber seat and springs out of pockets in body

NOTE: Re-Assemble in reverse order, making sure that SLOT in side of ball is INSERTED OVER PIN inside body and LUG on side of cam is INSERTED INTO SLOT on side of body.

STEP 5.

TURN
SLOWLY
AND
PULL
UP




To check "O" rings and diverter pull up on spout and remove

STEP 6.

PULL
OUT

BODY "O" RINGS



NOTE: If leak is from top or bottom of spout body—Replace Body "O" Rings.

Pull out diverter unit to clean

DECK MODELS

FOR SERIES 100-300-400

With or Without Spray and/or Dispenser

Carefully bend copper tubes straight down. If faucet is equipped with spray it is easiest to attach hose to faucet before installing faucet on sink.

After installation, remove aerator and flush both hot and cold lines before operating spray. Replace aerator and check spray operation.


NOTE: Small stream of water from spout during spray operation is normal.

DISPENSER

After faucet is installed screw brass adapter tightly to shank of pump support. Screw plastic bottle into adapter. Fill bottle through support from top — (Do not fill above top shoulder of bottle).

Hand press plastic pump into chrome head and insert pump into bottle through the support. Prime pump by operating until liquid is dispensed. Prime will then be retained.

If dispenser pump becomes sluggish or fails to operate, rinse or soak it in luke-warm water.



DECK MODELS

SINGLE MOUNT SERIES

101-150-175-570-575

WITH OR WITHOUT SPRAY

Measure thickness of deck in which faucet is to be mounted and cut off #6 anchor bolt, if necessary, as follows:

For Deck Thickness	Cut Off
1 1/8" to 1 1/4"	None.
1 1/4" to 1 1/8"	None — use #7 washer.
1 1/8" to 3/4"	One section.
3/4" to 5/8"	One section — use #7 washer.
5/8" to 1/4"	Two sections.
1/4" to 1/8"	Two sections — use #7 washer.
1/8" and less	Three sections.

NOTE: Do not straighten supply tubes before mounting faucet on sink.


Slide #3 base and #4 rubber washer over tubes to bottom of faucet.

Place faucet in mounting hole, with handle in down (off) position and pointing to front.

Engage #6 anchor bolt, slide #5 lock washer into position. Tighten anchor bolt . . . tight.

NOTE: The hole into which #6 anchor bolt threads is at the front of the faucet.

NOTE: Minimum mounting hole diameter is 1 1/4".



WALL MODELS

SERIES 200

WITH OR WITHOUT SPRAY

Install connectors to supply pipes. Do not damage exterior threads—use a smooth jaw wrench. Install faucet on connectors with washers and nuts provided.

Level faucet before final tightening of nuts. **NOTE:** Screw holes are provided in mounting plate for use only if faucet cannot be installed securely with nuts.

Attach copper tubes to connectors. Bend tubes carefully, if necessary, to align flared ends with connectors.


Remove front screw from under side of body and use to attach spray support.

Remove aerator and flush both hot and cold lines before operating spray.

Replace aerator and check spray operation.

NOTE: Small stream of water from spout during spray operation is normal.

Place cover in position and install cover insert assembly.




LAVATORY MODELS SERIES 500

Be sure that insert clip #2001 is in place before installing faucet.


After installation remove aerator and flush both hot and cold lines.

See illustration for proper method of connecting horizontal and vertical pop-up rods with spring clip.



TUB AND SHOWER MODELS SERIES 601

Rough in valve to suit finish wall line, as shown on red plaster stop. NOTE: up and down position markings on casting. Ears on casting of escutcheon mounting screw holes must be pointing down. Tub installation only, plug top outlet. Shower installation only, plug bottom outlet. Tub and shower combination, connect bottom outlet to diverter spout and top outlet to shower. (Twin-ell not required.) It may be necessary to flush out body, if supply lines have not been cleaned, in order to remove pipe chips or other foreign material.



NOTE:
FOR TUB OR
SHOWER INSTAL-
LATION ONLY,
we have furnished
a pipe plug in the
carton for your
convenience.

WHEN ORDERING PARTS ALWAYS SPECIFY NAME AND NUMBER OF PART

DELTA FAUCET CORPORATION

GREENSBURG, INDIANA

DELTA[®] SINGLE HANDLE BALL FAUCETS

Model	DECK TYPE FAUCETS WITH OR WITHOUT DISPENSER	List Price
100	For Standard 3 Hole Sinks	\$18.95
100-D	For Standard 3 Hole Sinks W/Dispenser	24.90
100-DX	For Standard 3 Hole Sinks W/2 Dispensers	30.85
101	Single Hole (1¼ to 1¾ I.D.)	18.95
150	Single Hole W/Dish Quik Handle (1¼ to 1¾ I.D.)	32.95
175	Single Hole W/Spray (1¼ to 1¾ I.D.)	24.95
300	For Standard 3 Hole Sinks W/Spray	24.95
300-D	For Standard 3 Hole Sinks W/Spray and Dispenser	30.90
350	For Standard 3 Hole Sinks W/Dish Quik Handle	32.95
350-D	For Standard 3 Hole Sinks W/Dish Quik Handle and Dispenser	38.90
400	For Standard 4 Hole Sinks W/Spray	24.95
400-D	For Standard 4 Hole Sinks W/Spray and Dispenser	30.90
400-DX	For Standard 4 Hole Sinks W/Spray and 2 Dispensers	36.85
450	For Standard 4 Hole Sinks W/Dish Quik Handle	32.95
450-D	For Standard 4 Hole Sinks W/Dish Quik Handle and Dispenser	38.90
450-DX	For Standard 4 Hole Sinks W/Dish Quik Handle and 2 Dispensers	44.85
WALL MOUNT FAUCETS		
200	For Standard Wall Mount (All Brass Cover)	\$22.95
250	For Standard Wall Mount W/Dish Quik Handle	37.95
275	For Standard Wall Mount W/Spray	29.95
LAVATORY 4" CENTER SETS		
500	Standard	\$18.95
510	W/Chain Pull	19.65
520	W/Pop-up Assy. Complete	24.50
530	W/Rod Only	20.40
"LAVA-SPRAY" & SINGLE HOLE LAVATORY FAUCETS		
570	Faucet Only	\$18.75
570-P	Faucet W/Pop-Up	24.95
570-D	Faucet W/Dispenser	24.70
570-PD	Faucet W/Pop-up and Dispenser	30.90
575	Faucet W/Shampoo Spray	26.75
575-P	Faucet W/Shampoo Spray and Pop-up	32.95
NOTE: Standard 4" Spout will be shipped unless other spout length specified — can be installed in 1¼" hole.		
TUB AND SHOWER FITTINGS		
601	Valve Only with ½" I.P.S. Plug	\$14.95
611	Valve W/Tub Filler with ½" I.P.S. Plug	16.95
621	Shower Valve W/Shower Arm, Flange Head with ½" I.P.S. Plug	17.50
631	Tub and Shower Fitting Complete W/Diverter Spout, Shower Head, Arm Flange	21.75
COMMERCIAL & INSTITUTIONAL TYPE FAUCETS		
710	Valve W/Gooseneck Spout W/Aerator	\$37.50

Note: Elbow action handles are available on all models for clinical and hospital applications.
See special notes on reverse side.

See reverse side for important information on pricing of special adaptations.

ACCESSORIES		
11	1/2" I.P.S. Adapter Nut	\$.14 ea.
58	Shampoo Head & Hose Assembly	4.50
59	Delta Handy-Rench	.35 ea.
88-A	Rose Spray (replaces aerator)	3.00 ea.
91-A	6" Elbow Action Handle (For Hospitals, Clinics, etc.)	8.20 ea.
165	1/2" I.P.S. Adapter	.30 ea.
245	Swivel Jet Aerator	1.85
246	Vandal Proof Aerator	2.15 ea.
457	Hose Adapter	1.00 ea.
461	Male Spout Adapter for Portable Dishwasher, etc.	1.00
1000	Dispenser Unit Complete	5.95
1100	Pop-up Drain W/Lift Rod and Guide	7.50

SPECIAL NOTES

All faucets are available with 1/2" I.P.S. adapters silver soldered to the supply tubes. These adapters are machined to accept either metal or rubber cones. Specify by adding "W/F" to model number and \$1.00 to list price.

All faucets, except "500" series, will be shipped with 8" swing spout unless otherwise specified.

4", 6" and 10" spouts are available for all faucets, except wall models and 4" centersets. Specify by adding spout length to model number. (EXAMPLE: 100-4 for model 100 with 4" spout.) Deduct 20c from list price for 4" spout and 10c for 6" spout; add 10c for 10" spout.

6" elbow action handle available on all models — specify by adding "WITH ELBOW HANDLE" to model number and \$6.00 to list price.

All of the "601" series shower and tub models are available with integral screwdriver stops. Specify by adding "WITH STOPS" to model number and \$5.00 to list price.

Rose Spray instead of aerator available on all faucets. Specify by adding "WITH ROSE SPRAY" to model number and \$2.50 to list price.

All faucets are available with vandal proof aerators. Specify by adding, "WITH VANDAL PROOF AERATOR" to model number and \$1.00 to list price.

All models available in brushed chrome finish when specified. Add \$4.00 to list price.

TERMS OF SALE

TERMS—2% cash discount will be allowed on all invoices if paid by check dated and envelope postmarked not later than the 10th of the month following date of invoice. Due net 20th prox.

FREIGHT ALLOWANCE—Full freight allowed and prepaid on orders of 24 units or more. We reserve the right to ship the most economical way and by the lowest approved freight rates. No allowance on shipments of less than 24 units. No allowance on Express or Parcel Post shipments.


PRICES—All prices subject to change without notice. Orders will be invoiced at prices prevailing at time of shipment.

GUARANTEE—We will replace any parts without charge which are defective in material or workmanship in manufacture. No claims for labor or damage of any kind will be allowed.

RETURNED GOODS—Cannot be returned without proper authorization from the factory. Material returned with our consent will be credited less transportation and 15% handling.

DELTA FAUCET CORPORATION

GREENSBURG, INDIANA



"DELTA . . . an appointment of Quality."

from DELTA FAUCET CORPORATION



New from Delta is the Lava-Spray model to ease the burden of hair washing in the bathroom.

This is but one of the many conveniences that can be found in the more than 400 Delta faucet model applications available through your Plumber.

comes the newest concept in plumbing fixtures . . . the DELTA SINGLE HANDLE BALL FAUCET . . . designed for ease of both using a faucet and cleaning a faucet . . .

Delta Faucets have only ONE moving part thus assuring low maintenance and years of dependable service. An explanation of this can be found with a cut-a-way drawing in this brochure.

Delta deck mounted faucets have a 360° swinging spout to allow sink freedom . . . greatly appreciated by homemakers . . .

all are precision engineered . . . effortless in operation . . . and control both the temperature and flow of the water with just one simple movement of the hand.

thinking of Building or Remodeling?

. . . then we'd like to suggest you read Kitchen Ideas Magazine published for the purpose of introducing kitchen ideas from the works of Clifford N. Wright, AIA. It's in full color and contains words of advice . . . sound kitchen ideas . . . and planning suggestions to aid those interested in building Better Kitchens.

It is available through the Kitchen Editor . . . Delta Faucet Corporation, Greensburg, Indiana for 25c to cover postage and handling.

Below are a few of the many ideas to be found within the pages of the magazine.




DECK MOUNTED DELTA FAUCET MODELS

Here are a few of the "deck mounted" faucets in the Delta line. "Deck Mounted" means that the faucet is mounted either on the sink itself . . . or on the counter top next to the sink. You'll notice that there are variations in the way the spray is mounted. Most sinks have four mounting holes and will allow for the faucet (utilizing three holes) and the spray in the fourth hole. However, sometimes a sink only has room to mount the faucet . . . thus people in the past (prior to Delta) had to eliminate the spray. Delta models 300 and 350 allow for the spray in these three hole sinks . . . thus enabling the housewife to gain the use of a spray or dish-washing handle attachment.





MODEL 100



MODEL 350

MODEL 300




MODEL 400


TUB • SHOWER • LAVATORY MODELS

A wide range of Delta faucets are available for the Bathroom. Shown here are just a representative few. With Delta Faucets . . . and their special advantages of installations . . . many variations are possible for use in the bath, especially in conjunction with the 570 series faucets where you can actually install a lavatory faucet along with a hair rinse for washing hair. Another special favorite is the way you can have your own supply of several shampoos, lotions, etc. by incorporating any number of Model 1000 Dispensers.

The Bathtub can also contain a special built-in shelf with several Model 1000 Dispensers and a hair rinse faucet and shampoo attachment if you so desire. For this shampoo unit . . . request the Delta "Barber Shampoo Model". This could, with a little imagination work in nicely with a dispenser shampoo — soap bar over a bathtub.



MODEL 520



MODEL 575P

MODEL 631



MODEL 570D



DISPENSER MODEL DELTA FAUCETS

New to the Delta Faucet Series are the increasingly popular DISPENSER MODELS that allow for "on the spot" availability of hand lotions, detergents, liquid soaps, certain beverages, etc. You'll note that the dispensers are located at the left and right side of the base. They fill and refill from the top by merely removing the plunger stem. Once a Dispenser Series Delta faucet is used . . . it's considered a fine idea of convenience by the homemaker using it. These Dispenser Model Faucets eliminate the need to store messy bottles or cans around the counter top.

Notice the model 350D where one dispenser is located at the left of the base and the dishwashing handle is located at the right side of the base.

Available for special type installations is a dispenser designed for installing in counter-tops. (Model 1000) Using a little imagination you could install any number of dispensers around the sink for convenience to many of your Kitchen operations.



MODEL 100DX



MODEL 400DX

MODEL 350D

MODEL 450DX



WALL MOUNTED FAUCETS

Shown here are the ever-popular wall mounted faucets so simple to install yet offer so many advantages to the homemaker. These models are popular because of their advantages such as easy-cleaning design . . . the use of a vegetable spray rinse . . . or the handy-time saving dishwashing handle attachment. This dishwashing handle allows you to wash and rinse the dishes in one quick operation . . . ready to drip dry.


MODEL 250

MODEL 275



Here is the 'heart' of all Delta faucets

**ONLY
ONE
MOVING
PART**



Shown here is a cut-away of the heart of the Delta Faucet. Note the expert simplicity in design excellence. Having only ONE moving part (the ball) it is readily understandable WHY the DELTA faucet is considered the finest . . .



*Everybody loves
Delta Faucets...
You will too...*



REPLACEMENT OR A REFUND OF MONEY
Guaranteed by
Good Housekeeping
IF NOT AS ADVERTISED THEREIN




The famous Delta Faucet has only one moving part — which controls the flow of the hot and cold water . . . with just a simple movement of the hand. Truly the faucet designed with women in mind.

NEW

... from **DELTA FAUCET CORPORATION**

DELTA[®] "HOSPITAL SERIES" SINGLE HANDLE BALL FAUCETS

especially designed for Medical Clinics . . .
Hospitals . . . Dental Clinics . . . Examination Rooms
. . . Laboratories . . . Kitchens . . . etc.



100

W/ELBOW
HANDLE




100 DX

W/ELBOW
HANDLE



101

W/ELBOW
HANDLE



500

W/ELBOW
HANDLE



570 D

W/ELBOW
HANDLE

SPECIAL NOTE:

**THE NEW "ELBOW HANDLE"
IS AVAILABLE FOR ALL DELTA
FAUCET MODELS . . . WHEN
ORDERING—BE SURE TO USE
REGULAR PART NUMBER
AND SPECIFY — "W/ELBOW
HANDLE."**



100 D

W/ELBOW
HANDLE

Available for immediate delivery . . . the new Hospital Series Delta Single Handle Ball Faucets are truly designed with clinics in mind. Designed for years of dependable service the Delta Hospital Series Single Handle Ball Faucet allows the control of both temperature and volume of hot and cold running water with just a simple movement of the wrist or elbow. Truly designed for style — comfort — practicality . . . the New Hospital Series by Delta is the finest faucet of its type . . . offering only ONE moving part.

DELTA

FAUCET CORPORATION

GREENSBURG, INDIANA



WILLIAMSON ROAD, NEW YORK, N.Y. 10011

WILLIAMSON ROAD
NEW YORK, N.Y. 10011



WILLIAMSON ROAD
NEW YORK, N.Y. 10011



DELTA Single Handle Ball Faucets (only one moving part)

Special Offer **FOR** { **Architects and Engineers**
Home Builders
Plumbing Contractors

THIS IS A SPECIAL INTRODUCTORY OFFER . . .
MADE ONLY FOR PERSONAL USE IN YOUR OWN HOME OR OFFICE

<input type="checkbox"/> Model 100	\$ 9.00	<input type="checkbox"/> Model 250	18.50
<input type="checkbox"/> Model 300	12.00	<input type="checkbox"/> Model 275	14.00
<input type="checkbox"/> Model 350	16.50	<input type="checkbox"/> Model 601	7.50
<input type="checkbox"/> Model 400	12.00	<input type="checkbox"/> Model 611	8.50
<input type="checkbox"/> Model 450	16.50	<input type="checkbox"/> Model 621	9.00
<input type="checkbox"/> Model 101	9.00	<input type="checkbox"/> Model 631	11.00
<input type="checkbox"/> Model 150	16.50	<input type="checkbox"/> Model 500	9.00
<input type="checkbox"/> Model 175	12.00	<input type="checkbox"/> Model 510	9.50
<input type="checkbox"/> Model 100D	12.60	<input type="checkbox"/> Model 520	12.00
<input type="checkbox"/> Model 100DX	16.20	<input type="checkbox"/> Model 530	10.00
<input type="checkbox"/> Model 300D	15.60	<input type="checkbox"/> Model 570	9.00
<input type="checkbox"/> Model 350D	20.10	<input type="checkbox"/> Model 570P	12.00
<input type="checkbox"/> Model 400D	15.60	<input type="checkbox"/> Model 570D	12.60
<input type="checkbox"/> Model 400DX	19.20	<input type="checkbox"/> Model 570 PD	15.60
<input type="checkbox"/> Model 450D	20.10	<input type="checkbox"/> Model 575	12.00
<input type="checkbox"/> Model 450DX	23.70	<input type="checkbox"/> Model 575P	15.00
<input type="checkbox"/> Model 200	11.00	<input type="checkbox"/> Model 1000	3.60

DATE.....NAME & TITLE.....

COMPANY.....

STREET.....

CITY.....ZONE.....STATE.....

Indicate Faucet wanted and send this sheet,
together with check to:

DELTA FAUCET CORPORATION
GREENSBURG, INDIANA

"Special" DELTA DISPLAY OFFERS

RIGID CONSTRUCTION...COLORFUL...MOUNTED (READY TO USE)
EACH FURNISHED WITH LITERATURE...REAL SALES-PROFIT BOOSTERS



DELTA *Master* COUNTER DISPLAY NO. 1A

Mounted with models 100 — 400 — 500 — 601

ONLY \$51.50 COMPLETE (FREIGHT PREPAID)

You Save **\$8.00** Plus Free Display



DELTA *Dispenser* COUNTER DISPLAY NO. 2A

Mounted with model 400 D

ONLY \$21.00 COMPLETE (FREIGHT PREPAID)

You Save **\$2.18** Plus Free Display



DELTA *Shower Valve* DISPLAY

NO. 3A

Mounted with model 601

ONLY \$10.50 COMPLETE (FREIGHT PREPAID)

You Save **70¢** Plus Free Display



FILL OUT ATTACHED COUPON AND SEND TO YOUR WHOLESALER:

PLEASE ORDER FOR US _____ #1A (at \$51.50 each), _____ #2A (at \$21.00 each),
_____ #3A (at \$10.50 each), DELTA COUNTER DISPLAYS

DEALER'S NAME _____

ADDRESS _____ CITY _____

ZONE _____ STATE _____ AUTHORIZED SIGNATURE _____

WHOLESALERS IMPRINT

Printed in U.S.A.

Digitized by



**ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL**
www.apti.org

**BUILDING
TECHNOLOGY
HERITAGE
LIBRARY**

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA